

***** **CERTIFICATE OF ANALYSIS** *****

Article:	COMPOFLOW®4F T&B-63 ML CPD/100 ML SAG-M-RCC+PDS-V		
Article number:	CQ32250		
Anticoagulant solution:	63 ml CPD		
Preservation solution:	100 ml SAG-Mannitol		
Batch number:	41YB25FA00	Quantity:	20 016
Manufacturing date:	27 February 2026	Expiry date:	2028-01

Test results

1. CPD Anticoagulant solution

	Method¹	Nominal value	Limits	Results
Sodium citrate.2H ₂ O	HPLC	26,3 g/l	25,0 – 27,6 g/l	25,2 g/l
Citric acid.1H ₂ O	HPLC	3,27 g/l	2,94 – 3,60 g/l	3,22 g/l
NaH ₂ PO ₄ .2H ₂ O	HPLC or Spectr.Ph.	2,51 g/l	2,38 – 2,64 g/l	2,40 g/l
Glucose.1H ₂ O ²	HPLC	25,5 g/l	24,2 – 26,8 g/l	24,3 g/l
5-HMF	HPLC		< 5 ppm	0,5 ppm
pH	Potent.	5,6	5,3 – 5,9	5,7
Volume	Volumetr.	63 ml	57 – 69 ml	66 ml


2. SAG-Mannitol Preservation solution

	Method	Nominal value	Limits	Results
Sodium chloride	Argent.	8,77 g/l	8,33 – 9,21 g/l	8,61 g/l
Adenine	HPLC	0,169 g/l	0,161 – 0,177 g/l	0,164 g/l
Glucose.1H ₂ O ²	HPLC	9,00 g/l	8,55 – 9,45 g/l	8,75 g/l
Mannitol	HPLC	5,25 g/l	4,99 – 5,51 g/l	5,05 g/l
5-HMF	HPLC		< 5 ppm	0,4 ppm
pH	Potent.	5	3,5 – 6,0	5,3
Volume	Volumetr.	100 ml	90 – 110 ml	104 ml

¹⁾ The used test methods are equivalent or more accurate than the corresponding methods described in the Eur. Pharm.

²⁾ As total reducing sugars

- | | | |
|--|---|--------------------|
| 3. Characteristics: clear, colourless to faintly yellow solution practically free from visible particles | | conform |
| 4. Physical control: in accordance with specifications | | conform |
| 5. Sterility (Eur. Pharm.): sterile | | conform |
| 6. Bacterial Endotoxines (Eur. Pharm.): | CPD: < 5,56 EU/ml
SAGM: < 5,56 EU/ml | conform
conform |
| 7. Used Filterbatch | | 26RF004,26RF005 |

<u>Batch released by Quality Assurance.</u>		<u>Manufactured by:</u>	
Date:	18.03.2026	Fresenius Kabi AG	
Name:	Tykva František	Plant: Fresenius Kabi Horátev CZ s.r.o.	
Signature:		Hořátev 104, 289 13 Czech Republic	