

International Dysphagia Diet Standardisation Initiative (IDDSI) Framework¹ and Fresubin[®] Oral Nutritional Supplements (ONS)

This statement reflects the IDDSI testing results, using the IDDSI funnel.

Each product was evaluated with respect to the IDDSI framework. For liquids the IDDSI flow test was performed using an IDDSI funnel, and at least three individual samples were tested. For dessert style puddings the IDDSI framework fork-drip and spoon-tilt tests were used.

Testing has been completed by an independent consultant. Where possible we have tested all products and all flavours from one batch and at one time point in their shelf life. Products were tested at chilled (6 \pm 1°C) and room temperature (25 \pm 1°C).

All liquids become thicker when chilled, and the thickening will also vary between products depending on their fat, sugar and protein content. These variabilities have always existed.

Please note that where flavours of products fall between levels, they cannot be assigned to a particular IDDSI level. Details of these products are provided in the table below.



1.Cichero JA et al. Development of International Terminology and Definitions for Texture- Modified Foods and Thickened Fluids Used in Dysphagia Management: The IDDSI Framework. Dysphagia. 2017;32(2):293-314. https://iddsi.org/framework/

N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



The following products are intended for the dietary management of patients with or at risk of disease related malnutrition.

Oral Nutritional Supplement flavour	IDDSI Level#	
Supplement havour	Chilled (6 ± 1°C) Ro	om Temp.(25 ±1°C)
	Survimed® OPD Drink	
Vanilla	0	0
Sı	urvimed® OPD 1.5 kcal Drin	k
Cappuccino	0	0
Vanilla	0	0
	Fresubin® Jucy Drink	•
Apple	0	0
Blackcurrant	0	0
Cherry	0	0
Orange	0	0
Pineapple	0	0



1. Cichero JA et al. Development of International Terminology and Definitions for Texture- Modified Foods and Thickened Fluids Used in Dysphagia Management: The IDDSI Framework. Dysphagia. 2017;32(2):293-314. https://iddsi.org/framework/

N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional	IDDSI Level#	
Supplement flavour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)
Fresubin [®] Original Drink		
Vanilla		T 0
Vanilla	0	0
	Frebini [®] Energy Drink	.
Banana	0	0
Strawberry	0	0
Frebini® Energy Fibre Drink		
Chocolate	0	0
Vanilla	0	0



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional	IDDSI Level#	
Supplement flavour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)
	Calshake [®]	
Chocolate	0	0
Banana	0	0
Strawberry	0	0
Vanilla	0	0
Neutral	0-1*	0
Fresubin® Powder Extra		
Vanilla	0-1*	0
Strawberry	0-1*	0



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional	IDDSI Level#	
Supplement flavour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)
	Fresubin® Energy Drink	
Lemon	1	0
Vanilla	1	0
Strawberry	1	0
Blackcurrant	1	0
Tropical Fruits	1	0
Cappuccino	1	0
Neutral	1	0
Chocolate	2	1
Banana	1	0



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional	IDDSI Level [#]	
Supplement flavour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)
F	resubin® Energy Fibre Drink	
Strawberry	1	0
Vanilla	1	0
Banana	1	0
Cherry	1	0
Chocolate	1	0-1*
Caramel	1	0
Supportan® Drink		
Tropical Fruits	1	0



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level#		
Supplement navour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)	
Fresubin® PLANT-BASED Drink			
Vanilla	2	1	
	Fresubin [®] YoDrink		
Lemon	2	1	
Raspberry	2	1	
Apricot-Peach	2	1	
	Fresubin [®] 5 kcal Shot		
Lemon	2	2	
Neutral	2	2	
Fresubin® 2 kcal Drink			
Toffee	2	1	
Vanilla	2	1	



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level#	
Supplement havour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)
Fresubin [®] 2 kcal Drink (continued)		
Neutral	2	1
Fruits of the forest	2	1
Apricot-Peach	2	1
Cappuccino	2	1
1	Fresubin® 2 kcal Mini Drink	
Vanilla	2	1
Fruits of the Forest	2	1
Apricot-Peach	2	1
Fresubin® 2 kcal Fibre Drink		
Lemon	2	1
Chocolate	2	1



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level#	
Supplement navour	Chilled (6 ± 1°C)	loom Temp.(25 ±1°C)
Fresubin® 2 kcal Fibre Drink (continued)		
Neutral	2	1
Cappuccino	2	1
Vanilla	2	1
Apricot-Peach	2	1
Fre	subin® 2 kcal Fibre Mini Drin	k
Chocolate	2	2
Vanilla	2	1
Fre	esubin [®] Protein Energy Drink	ζ
Vanilla	2	1
Wild Strawberry	2	1
Chocolate	2	1
Tropical Fruits	1	0



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level [#]	
Supplement navour	Chilled (6 ± 1°C) R	oom Temp.(25 ±1°C)
Fresubin® Protein Energy Drink (continued)		
Cappuccino	2	1
F	resubin [®] Thickened Level 2	
Vanilla	N/A	2
Wild Strawberry	N/A	2
F	resubin® Thickened Level 3	
Vanilla	N/A	3
Wild Strawberry	N/A	3
	Fresubin® 3.2 kcal Drink	
Hazelnut	3	3
Mango	3	3
Cappuccino	3	3
Vanilla-Caramel	3	3



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level#		
Supplement havour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)	
Fro	Fresubin® PRO COMPACT Drink		
Vanilla	3	2	
Apricot-Peach	3	2	
Cappuccino	2 -3*	2	
	Fresubin® 2 kcal Crème		
Chocolate	4	4	
Wild Strawberry	4	4	
Cappuccino	4	4	
Vanilla	4	4	
Praline	4	4	
Fresubin® Dessert Fruit Purée			
Apple-Prune	4	4	



N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



Oral Nutritional Supplement flavour	IDDSI Level#		
Supplement havour	Chilled (6 ± 1°C)	Room Temp.(25 ±1°C)	
	Fresubin® YOcrème		
	_	,	
Apricot-Peach	4	4	
Raspberry	4	4	
Казрвенту	7	7	
Biscuit	4	4	
Lemon	4	4	

As standard ONS are not labelled with a specific IDDSI level, it is the responsibility of the clinician to ensure their suitability and these results should only be used as a guide. It is important to bear in mind that it can sometimes be difficult to predict serving temperature and suitability may also vary between different patients.

Standard ONS are not designed specifically for use in dysphagia and their consistency may be more sensitive to temperature and variation in syringe/funnel nozzle dimensions. We would advise extra clinical attention to ensure patients are safe with the chosen ONS.

If clinicians or patients choose to use products at other temperatures, then they do so at their risk. Clinicians are advised to audit thick fluids at the intended serving temperature.¹



1. Cichero JA et al. Development of International Terminology and Definitions for Texture- Modified Foods and Thickened Fluids Used in Dysphagia Management: The IDDSI Framework. Dysphagia. 2017;32(2):293-314. https://iddsi.org/framework/

N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

^{* =} Borderline between levels: not clearly either level.



If you require information regarding other products within our ONS range and their IDDSI classification, please contact the Scientific Affairs team direct on 01928 533516 or email scientific.affairsUK@fresenius-kabi.com



1. Cichero JA et al. Development of International Terminology and Definitions for Texture- Modified Foods and Thickened Fluids Used in Dysphagia Management: The IDDSI Framework. Dysphagia. 2017;32(2):293-314. https://iddsi.org/framework/

N/A - Not applicable. Fresubin Thickened is a pre-thickened ONS specifically designed for patients with dysphagia and should be served at room temperature as per the user instructions on the product label.

https://www.iddsi.org/

* = Borderline between levels: not clearly either level.